



ecad mixed signal

- 2000

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)

Scholar

Results 1 - 28 of 28 for ecad mixed signal. (0.06 seconds)

Development of generic testing strategies for mixed-signal integrated circuitsTI Pritchard, PSA Evans, D Taylor - IEE Proc. G, 1992 - [ieeexplore.ieee.org](#)... The paper proposes a test structure for **mixed-signal** ICs, and details the ... of this technique in simulation are presented, and the **ECAD** facilities that have ...Cited by 1 - [Web Search](#) - [ieeexplore.ieee.org](#)**Bridging the gap between TCAD and ECAD Methodologies in Deep Sub-micron Interconnect Extraction and ...**NS Nagaraj, P Balsara, C Cantrell, TI Inc, TX ... - VLSI Design, 1999. Proceedings. Twelfth International ..., 1999 - [ieeexplore.ieee.org](#)... Issues related to TCAD interconnect modeling, **ECAD** design methodologies, tools and ...IC Reliability q Automated synthesis/layout of analog/**mixed signal** designs ...[Web Search](#) - [doi.ieeecomputersociety.org](#) - [doi.ieeeecs.org](#) - [ieeexplore.ieee.org](#)**A Data Optimisation Test Technique for Characterizing Embedded ADCs**J Raczkowycz, S Allott, TI Pritchard - Journal of Electronic Testing: Theory and Applications, 1996 - [springerlink.com](#)... of Observation and Characterization Techniques Applied to Embedded Ana- logue to Digital Converters," IEE Colloquim on Testing **Mixed Signal** Circuits, Digest No ...Cited by 3 - [Web Search](#)**Reuse of IP and Virtual Components**R Seepold - Proceedings of the conference on Design, automation and test ..., 1999 - [portal.acm.org](#)... summarize the market-driven forces and the impact on **ECAD**, the first ... Verification •IP Protection • Manufacturing Related Test • **Mixed Signal** • On-Chip ...Cited by 2 - [Web Search](#) - [hwswworld.com](#) - [portal.acm.org](#)**On the development of analogue sampled-data signal processing**G Machado, NC Battersby, C Toumazou - Analog Integrated Circuits and **Signal** Processing, 1997 - [springerlink.com](#)... in a single system, and the economic advantage to be gained from a single chip so- lution, has led to the emergence of **mixed-mode signal** processing chips. ...Cited by 4 - [Web Search](#) - [kluweronline.com](#) - [portal.acm.org](#) - [csa.com](#)**A New Integrated Metal-Semiconductor Simulation Methodology for On-Chip Electrostatic Discharge ...**HG Feng, K Gong, A Wang - Proc. IEEE/IFIP World Comput. Congr.-Int. Conf. Design ..., 2000 - [ifip.or.at](#)... predictive ESD simulation-design methodology with combined TCAD-**ECAD** simulation capability ... covers **mixed-signal** IC design, advanced ESD protection design for IC ...Cited by 2 - [View as HTML](#) - [Web Search](#)**Using Software Agents to Generate VLSI Layouts**D de Abreu Moreira, LT Walczowski - IEEE Expert: Intelligent Systems and Their Applications, 1997 - [ieeexplore.ieee.org](#)... FULL - CUSTOM DIGITAL AND **MIXED - SIGNAL** VLSI LAYOUTS ... Elec- tronic EngineeringDepartment at the University of Kent, where he has run the **ECAD** Laboratory from ...Cited by 2 - [Web Search](#) - [java.icmc.sc.usp.br](#) - [java.icmc.usp.br](#) - [portal.acm.org](#) - all 5 versions »**Modelling Digital Circuits Problems with Set Constraints**F Azevedo, P Barahona - Computational Logic, 2000 - [centria.di.fct.unl.pt](#)... One particular sub-area of **ECAD** that deserves plenty of ... or to have an LN (#L=1) in the **mixed** representation (pairs ... Since a digital **signal** coded as D does not ...Cited by 7 - [View as HTML](#) - [Web Search](#) - [centria.di.fct.unl.pt](#) - [portal.acm.org](#)**Cell binding specificity of mouse R-cadherin and chromosomal mapping of the gene**H Matsunami, S Miyatani, T Inoue, NG Copeland, DJ ... - J. Cell Sci, 1993 - [jcs.biologists.org](#)... consisting of a **signal** peptide, a precursor peptide and ... When mRL12 cells were **mixed** with RLβ3 cells, the ... have shown previously that Pcad and Ecad are tightly ...Cited by 32 - [Web Search](#) - [jcs.biologists.org](#) - [ncbi.nlm.nih.gov](#)**Hierarchy - A CHDStd Tool for the Coming Deep Submicron Complex Design Crisis**S Grout, G Ledenbach, RG Bushroe, P Fisher, D ... - ASP-DAC, 1998 - [acm.org](#)... providing means for having a **mixed** logical and ... timing calcula- tion and **signal** integrity

checking ... 1997 [5] Requirements Document - SEMATECH ECAD Program CHDS ...

[View as HTML](#) - [Web Search](#) - [sigda.org](#) - [eda.org](#) - [vhdl.org](#) - [all 5 versions »](#)

Cavity Beam Position Monitors

R Lorenz - Proceedings of the 8th Beam Instrumentation Workshop, SLAC, ..., 1998 - [slac.stanford.edu](#)

... Because of the large **signal** per micron displacement, these resonant monitors find application in situations where the beam signals are weak. ...

Cited by 6 - [View as HTML](#) - [Web Search](#) - [link.aip.org](#)

CHIP HIERARCHICAL DESIGN SYSTEM (CHDS): A FOUNDATION FOR TIMING-DRIVEN PHYSICAL DESIGN INTO THE 21ST ...

A Dengi, P Fisher, S Grout, G Ledenbach, NS ... - Micron, 1997 - [acm.org](#)

... drive, loading, et.al.) and, **mixed** in, test ... physical design routing tools for **signal**, clock, power ... 1996 [5] Requirements Document - SEMATECH ECAD Program CHDS ...

[View as HTML](#) - [Web Search](#) - [sigda.org](#) - [sigda.org](#) - [acm.org](#)

Microprocessor design project in an introductory VLSI course

RB Brown, RJ Lomax, G Carichner, AJ Drake - IEEE TRANS EDUC, 2000 - [ieeexplore.ieee.org](#)

... [Online] Available: <http://www.eecs.umich.edu/eecs/dco/ecad> [6] Mentor Graphics Corporation ... His interests include **mixed signal** circuits and SOI technology. ...

Cited by 11 - [Web Search](#) - [eecs.umich.edu](#) - [ieeexplore.ieee.org](#) - [csa.com](#)

Generation of 3D Isosurfaces by Means of the Marching Cube Algorithm

TW Michael Bartsch, M Witting - IEEE TRANSACTIONS ON MAGNETICS, 1996 - [ieeexplore.ieee.org](#)

... If triangulations are **mixed** ... has been implemented to the postprocessor of the ECAD software MAFIA. ... in this example is driven by a time harmonic **signal**, and the ...

[Web Search](#)

Intercellular Adhesions as Determinants of Tissue Assembly and Malignant Invasion

M INTERCELLULAR - JOURNAL OF CELLULAR PHYSIOLOGY, 1997 - [doi.wiley.com](#)

... cells were **mixed** randomly with cells from other tis- ... cell's **signal** transduction systems ... demonstrated that the surface tension of a cell aggregate- **Ecad**, was used ...

[Web Search](#) - [doi.wiley.com](#)

Biogenesis of polarized epithelial cells during kidney development in situ: roles of E-cadherin- ...

PA Piepenhagen, WJ Nelson - Mol Biol Cell, 1998 - [intl.molbiolcell.org](#)

... were thawed on ice and **mixed** with 4 ... **Ecad** ECD), E-cadherin cytoplasmic domain (**Ecad** Cyto), -catenin ... fold induction relative to weakest **signal** obtained (usually ...

Cited by 23 - [Web Search](#) - [pubmedcentral.nih.gov](#) - [molbiolcell.org](#) - [ncbi.nlm.nih.gov](#)

New mode of DNA binding of multi-zinc finger transcription factors: delta EF 1 family members bind ...

JE Remacle, H Kraft, W Lerchner, G Wuytens, C ... - The EMBO Journal, 1999 - [nature.com](#)

... at stage 11 and cleared for better visualization of the **signal**. ... sites is CACCT-N n -AGGTG, whereas in **Ecad** it is ... In lane 10, we **mixed** 10 pg of XbraE with 10 pg ...

Cited by 47 - [Web Search](#) - [embojournal.npgjournals.com](#) - [ncbi.nlm.nih.gov](#) - [ncbi.nlm.nih.gov](#)

Filling and slotting: Analysis and algorithms

AB Kahng, G Robins, A Singh, H Wang, A Zelikovsky - The 1998 International Symposium on Physical Design, ISPD-98, 1998 - [portal.acm.org](#)

... the layout. Today, however, **ECAD** tools for physical design and verification cannot remain oblivious to such post-processing. With ...

Cited by 20 - [Web Search](#) - [cs.virginia.edu](#) - [nexus6.cs.ucla.edu](#) - [alla.cs.gsu.edu](#) - [all 11 versions »](#)

Cadherin function in junctional complex rearrangement and posttranslational control of cadherin ...

ML Troxell, YT Chen, N Cobb, WJ Nelson, JA Marrs - Am J Physiol Cell Physiol, 1999 - [ajpcell.physiology.org](#)

... S-transferase-E-cadherin (GST-**ECad**) fusion protein ... the glycosyl phosphatidylinositol (GPI) modification **signal** joined in ... the two reactions were **mixed** and used ...

Cited by 29 - [Web Search](#) - [ajpcell.physiology.org](#) - [ncbi.nlm.nih.gov](#)

Retargetable code generation based on structural processor descriptions

R Leupers, P Marwedel - Design Automation for Embedded Systems, 1998 - [kluweronline.com](#)

... in particular for embedded systems involving **signal** processing under ... provides a natural link to **ECAD** environments ... CHESS and CodeSyn make use of **mixed** models, ie ...

Cited by 51 - [Web Search](#) - [ingentaconnect.com](#) - [ls12-www.informatik.uni-dortmund.de](#) - [eldorado.uni-dortmund.de](#) - [all 6 versions »](#)

Hardware/Software Codesign from the RASSP Perspective

GA FRANK, B CLARK, WB SCHAMING, W KLINE - Journal of VLSI Signal Processing, 1997 - kluweronline.com

... **Mixed** levels of simulation (algorithm, abstract behavioral, performance, ISA, RTL, etc ... Journal of VLSI Signal Processing KL387-05-Frank January 10, 1997 16:22 ...

Cited by 1 - Web Search - portal.acm.org - portal.acm.org

Design Automation for Embedded Systems, vol. 3, no. 1, Jan 1998,, 1 {36 () c Kluwer Academic ...

R LEUPERS, P MARWEDEL - Design Automation for Embedded Systems, 1998 - tik.ee.ethz.ch

... particular for embedded systems involving **signal** processing under ... modelling provides a natural link to **ECAD** environments. ... CodeSyn make use of **mixed** models, ie ...

View as HTML - Web Search - tik.ee.ethz.ch - eldorado.uni-dortmund.de - eldorado.uni-dortmund.de

CHDStd - application support for reusable hierarchical interconnect timing views

S Grout, G Ledenbach, RG Bushroe, P Fisher, A ... - The 1998 International Symposium on Physical Design, ISPD-98, 1998 - portal.acm.org

... 2. **Signal** coupling between nets can no longer be ... 1 shows a typical complex **mixed** logical and ... 15, 1997 [4] Requirements Document - SEMATECH **ECAD** Program CHDS ...

Web Search - sigda.org - eda.org - vhdl.org - all 7 versions »

Low-Cost Direct Chip Attach: Comparison of SMD Compatible FC Soldering with Anisotropically ...

R Haug, U Behner, CP Czaya, H Jiang, S Kotthaus, R ... - IEEE TRANSACTIONS ON ELECTRONICS PACKAGING MANUFACTURING, 2000 - ieeexplore.ieee.org

... This digital **signal** adaptation (DSA) BGA multichip module is ... advantage not to be a **mixed** assembly process. ... He has participated on **eCAD** since 1997, Development ...

Web Search - ieeexplore.ieee.org

Poster Session II: Diagnosis Neuroimaging

C Oppenheim, M Logak, D Dormont, S Lehericy, R ... - Cerebrovasc Dis, 1999 - content.karger.com

... In 5/11 the T2 MRI scan showed an area of **signal** abnormality, however in 4 ... no lesion; I, cortical lesion only; II, subcortical lesion only; III, **mixed** type with ...

Web Search - content.karger.com

Molecular genetic parameters in pathogenesis and prognosis of testicular germ cell tumors

A Heidenreich, S Srivastava, JW Moul, R Hofmann - Eur Urol, 2000 - content.karger.com

... of both proteins determines the cell survival or death following an apoptotic **signal**. ... stage I or stage II NS-GCT; seminomatous components in **mixed** NSGCT were ...

Cited by 10 - Web Search - content.karger.com - dx.doi.org - ncbi.nlm.nih.gov

Evidence for climatic deteriorations associated with the decline of Sphagnum imbricatum Hornsch. ex ...

D Mauquoy, K Barber - Holocene, 1999 - ingentaconnect.com

... **ecads** or **ecophenes** (Green, 1968), Barber (1981) suggested that it may have been unable to change rapidly enough from the 'compact' hummock **ecad** to the ...

Cited by 9 - Web Search - ingenta.com

Resource management for CAD frameworks

TF Cobourn, P Pittsburgh - 1992 - vlsicad.cs.ucla.edu

... that designers need to reason in the midst of complexity. 2.2 Techniques Since an enumeration of past and present **ECAD** systems would be overwhelming, we ...

Cited by 4 - View as HTML - Web Search - gigascale.org - vlsicad.ucsd.edu - eecs.umich.edu - all 8 versions »

ecad mixed signal

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google